

## Wonder Sports Website

WONDER SPORTS TRADING LTD

### TT-1-CA Series

Price per Unit (piece): €368.00 (including 15 % tax)



<b>Model No.</b>	<b>TT-1-CA Series</b>
<b>Description</b>	<b>Coin Operated Controller for Computer</b> <i>Works for PC, Windows, Linux, Mac, Unix box</i>

<p><b>Money Tender Unit (Coin validator) Specification</b></p>	<p>Model: <b>TT-1-CA(LCD)</b>  <a href="#">(US type pic)</a> <a href="#">(Europe type pic)</a>          -Single-coin validator (accept any currency coin of material and thickness &lt;3mm)          -Anti-hooking: Yes          -Auto coin return</p> <p>-----</p> <p>Model: <b>TT-1-CA(MC)</b>  <a href="#">-C-08MHS</a> Multiple-coin validator (Currencies: USD, EURO, AUSTRALIA, UK, Canada spec., etc.)          -Capable of pre-programmed up to Six different coin value and timer setting          -Programmable Validator          (U.S. spec.: US\$1, \$0.25, \$0.1, \$0.05); (AUD spec.: AUD\$2, \$1, \$0.5, \$0.1); (UK spec.: UK\$2, \$1, \$0.5, \$0.1); (EURO spec.: EURO\$2, \$1, \$0.5, \$0.1)          -High precision -each coin is programmed taking 100 samples.</p> <p>-----</p> <p>Model: <b>TT-1-CA(BA)</b>  <a href="#">-B-07HS</a> Bill acceptor (Currencies: USD \$1,\$5,\$10,\$20, EURO, AUSTRALIA, UK, Canada spec., etc.)          -Direct feed front insert bill acceptor          -Horizontal roll in accept and bill eject          -High precision sensors</p>
--	--

<p><b>Electronic Control Board Specification</b></p>	<ul style="list-style-type: none"> <li>-Clock: Digital type displays in one minute decrement</li> <li>-Range: 1-120 per insert; 999 minutes(max session);</li> <li>-LCD Display: dot matrix text display; blue light for night visible; brightness adjustable</li> <li>-Time (minute) button: +/-1 minute per adjust</li> <li>-Mode button: for function menu</li> <li>-Controlled Ports: 4 x PS/2 ports -connect to any standard computer's keyboard &amp; mouse ports (PS/2 type)</li> <li>-Controlled Ports: 2 x USB -connect to any USB keyboard or mouse or USB device</li> <li>-Keyboard Enable/Disable: Yes</li> <li>-Mouse Enable/Disable: Yes</li> <li>-USB Device Enable/Disable: Yes <u>Special functions:</u></li> <li>-Electronic coin counter function: (available in Firmware 2B)</li> <li>-Service Button: for convenience timer stopping during service of computer (available in all Firmware)</li> <li>-*Minimum Time function (available in both Firmware 2A &amp; 2B): <u>to set the minimum time the user need to purchase for the initial use. Continuing use will not be affected.</u></li> <li>-Single or Double Coin Insert function: <u>Single - one coin insert will increase the time; Double - two coins insert will increase the time (available in all Firmware)</u></li> <li>-2-minute Port Open during boot: <u>allow detect of keyboard &amp; mouse existance by computer (available in all Firmware).</u></li> </ul>
<p><b>Electronic Control Board Firmware version</b></p>	<ul style="list-style-type: none"> <li>-<b>Firmware 2B</b> : (default for TT-1-CA(LE) Asia model.</li> <li>-<b>Firmware 5A*</b> (Default for TT-1-CA(LCD) &amp; TT-1-CA(MC)) All standard fuctions and added Electronic "Coin Counter", "Last Minute Reminder Beep" and "Discount Mode (set discount rate for longer time users)" fuctionions</li> <li>-<b>Firmware 5A+</b> : All functions of 5A and included a COM kit and software for "Windows Auto Logoff" function (upon time up it will logoff the current user session and shut off all unclosed programs)</li> </ul> <p>( <a href="#">Firmware Function Guide</a> )</p>
<p><b>Options for multiple PC control</b></p>	<p><b>Model TT-1-CA(2PC)</b> : consists of two seperated control units (each with its own LCD display and timer circuit) for control of two PCs.</p>
<p><b>Security</b></p>	<p>Security: Lockable side panel &amp; Front open cash drawer lockable. Each key is different combination.</p> <p>Housing mounting (Bottom): Two screw holes at the botton to securely mount on any surface.</p> <p>Hosing securing (by steel wire): a 4mm diameter hole allow securing of a steel wire inside the housing to any fixed object.</p> <p>Full metal housing security.</p>
<p><b>Colour</b></p>	<p>Light Gray / Black(optional)</p>

**Power**

**Requirement**

Power Requirements : AC 100-240V (Auto)

<b>Operating</b>	Relative Humidity: 10% to 85% Non-condensing Operating Temp: 5 degree C to 45 degree C
<b>Physical Environment</b>	Dimension: 21 x 12 x 30cm (D x W x H) Weight: 4.5kg net
<b>Specification</b>	Shipping weight: Approx. 5Kg
<b>Warranty</b>	Warranty: One year

[Vendor Information](#)

**Customer Reviews:** There are yet no reviews for this product.  
Please log in to write a review.